


PRODUCT DESCRIPTION:
ECW - Plastic - Pushbuttons

PRODUCT CODE:
ECW4_ _ _ RFH_

DYNAMIC 3D VIEW:




STATIC 3D VIEW:




TECHNICAL VIEW:

ECW - PLASTIC PUSHBUTTON


Plastic - Flush Pushbuttons




Plastic - Extended Pushbuttons



Plastic - Ring Shrouded Pushbuttons



ECW - PLASTIC PUSHBUTTON PANEL FREE FIXING (example)



DETAILS:

Description	Wireless pushbutton
Actuating Head	Flush,extended,ring shrouded pushbutton
Body material	Thermoplastic
Head material	Thermoplastic
IP degree of protection	IP 65
Voltage supply	Electrodynamic energy generator
Approvals	Europe: RED 2014/53/EU
Reference Standards	IEC 60947-5-1 / EN 60947-5-1
Transmission Protocol	EnOcean 868
Wireless range outdoor	80 m outdoor
Wireless range indoor	20 m indoor
Operating Temperatures [°C]	-25°C ... +70°C
Stock Temperatures [°C]	-30°C ... +80°C
Switching Frequency [cycles/hour]	3600
Mechanical Durability [Millions of Operations]	1
Compatible receiver	RRH8

PRODUCT DRAWING RELEASE:

Datasheet creation date: 18/09/2020 11:02

Last Modification (geometry): 25/02/2019 14:37

tel. +39 039 9906408
+39 039 9903468
fax +39 039 9906203Via Novarino 9/L
23899 Robbiate (LC)
ITALYwww.comepi.it
comepi@comepi.it
tecnico@comepi.it