


PRODUCT DESCRIPTION:

PSW


PRODUCT CODE:

PSW11RFH8



DYNAMIC 3D VIEW:



STATIC 3D VIEW:




TECHNICAL VIEW:




1

CONTATTO OFF



CONTATTO ON



DETAILS:

Part Number	PSW11RFH8
Casing Material	Abs
Width [mm]	30
IP Degree of Protection	IP65
Actuating Head	Plastic lever
Base Material	Thermoplastic
Voltage supply	Electrodynamic energy generator
Approvals	Europe: RED 2014/53/EU
Reference Standards	IEC 60947-5-1 / EN 60947-5-1
Transmission Protocol	EnOcean 868
Wireless range outdoor	80 m outside
Wireless range indoor	20 m inside
Operating Temperatures [°C]	-25°C ... +70°C
Stock Temperatures [°C]	-30°C ... +80°C
Switching Frequency [cycles/hour]	3600
Mechanical Durability [Millions of Operations]	1
B10d [Millions of Operations]	2
Compatible receiver	RRH8

PRODUCT DRAWING RELEASE:

Datasheet creation date: 18/09/2020 11:02

Last Modification (geometry): 25/02/2019 14:37

tel. +39 039 9906408
+39 039 9903468
fax +39 039 9906203Via Novarino 9/L
23899 Robbiate (LC)
ITALYwww.comepi.it
comepi@comepi.it
tecnico@comepi.it